

DSC 140B

Representation Learning

Lecture 17 | Part 1

Autoencoders

Generalizing PCA

- ▶ We started the quarter with PCA.
- ▶ PCA is a **linear** method.
- ▶ We can generalize upon PCA to derive nonlinear representation learners.

Representation Learning

- ▶ At a high level, representation learning finds an **encoding function** $\text{encode}(\vec{x}) : \mathbb{R}^d \rightarrow \mathbb{R}^k$.
- ▶ Ideally, this function captures useful aspects of the data distribution.

Example: PCA

- ▶ In PCA, we **encode** a point \vec{x} by projecting it onto the top k eigenvectors of data covariance matrix:

$$\text{encode}(\vec{x}) = U^T \vec{x}$$

Decoding

- ▶ Encoding can decrease dimensionality.
- ▶ Intuitively, we may want to preserve as much “information” about \vec{x} as possible.
- ▶ We should be able to **decode** the encoding and **reconstruct** the original point, approximately.

$$\vec{x} \approx \text{decode}(\text{encode}(\vec{x}))$$

Example: PCA

- ▶ In PCA, given a point $\vec{z} \in \mathbb{R}^k$ in the new representation, the **reconstruction** is:

$$\text{decode}(\vec{z}) = U\vec{z}$$

Representation Learning

- ▶ **Goal:** find an encoder (and decoder) such that

$$\text{encode}(\text{decode}(\vec{x})) \approx \vec{x}$$

Reconstruction Error

- ▶ In general, $\text{decode}(\text{encode}(\vec{x}))$ will not be exactly equal to \vec{x} .
- ▶ One way of quantifying the difference w.r.t. data is the (ℓ_2) **reconstruction error**:

$$\sum_{i=1}^n \|\vec{x}^{(i)} - \text{decode}(\text{encode}(\vec{x}^{(i)}))\|^2$$

Note

- ▶ Of course, it is trivial to find an encoder/decoder with zero reconstruction error:

$$\text{encode}(\vec{x}) = \vec{x} = \text{decode}(\vec{x})$$

- ▶ Such an encoder is not useful.
- ▶ Instead, we constrain the form of the encoder so that it cannot simply copy the input.

Example: PCA

- ▶ Assume $\text{encode}(\vec{x}) = U\vec{x}$, for some matrix U whose $k \leq d$ columns are orthonormal.
 - ▶ That is, the encoding is an orthogonal projection.
- ▶ **Goal:** find U to minimize reconstruction error on a dataset $\vec{x}^{(1)}, \dots, \vec{x}^{(d)}$.
- ▶ **Solution:** pick columns of U to be top k eigenvectors of data covariance matrix.


Now

- ▶ $\text{encode}(\vec{x}) = U\vec{x}$ is a linear encoding function.
- ▶ What if we let encode be nonlinear?
- ▶ That is, let's generalize PCA.

Encoder as a Neural Network

- ▶ Assume $\text{encode}(\vec{x})$ is a (deep) **neural network**.
- ▶ Output is not a single number, but k numbers.
 - ▶ I.e., a vector in \mathbb{R}^k
- ▶ Can use nonlinear activations, have more than one layer.

Encoder as a Neural Network




Encoder as a Neural Network

- ▶ The output of the encoder is the new representation.
- ▶ To train the encoder, we'll need a **decoder**.

Decoder as a Neural Network

- ▶ Assume $\text{decode}(\vec{z})$ is a (deep) **neural network**.
- ▶ Output is not a single number, but d numbers.
 - ▶ Same dimensionality as original input, \vec{x} .
 - ▶ I.e., a vector in \mathbb{R}^d
- ▶ Can use nonlinear activations, have more than one layer.


Decoder as a Neural Network




decode(encode(\vec{x})) as a **NN**

- ▶ Together, decode(encode(\vec{x})) is a neural network $H(\vec{x}) : \mathbb{R}^d \rightarrow \mathbb{R}^d$.

decode(encode(\vec{x})) as a NN



Training



- ▶ We want $H(\vec{x}) \approx \vec{x}$
- ▶ One approach: train network to minimize reconstruction error.

$$\begin{aligned} \sum_{i=1}^n \|\vec{x}^{(i)} - H(\vec{x}^{(i)})\|^2 &= \sum_{i=1}^n \sum_{j=1}^d (\vec{x}_j^{(i)} - (H(\vec{x}^{(i)}))_j)^2 \\ &= \sum_{i=1}^n \sum_{j=1}^d (\vec{x}_j^{(i)} - a_j^{(2)}(\vec{x}^{(i)}))^2 \end{aligned}$$

Training

- ▶ The network can be trained using gradient-based methods.
 - ▶ E.g., stochastic gradient descent.
- ▶ **Note:** this is an **unsupervised** learning problem.

Autoencoders

- ▶ When the encoder/decoder are NNs,
 $H(\vec{x}) = \text{decode}(\text{encode}(\vec{x}))$ is an **autoencoder**.


Generalizing PCA

- ▶ We can view autoencoders as generalizations of PCA.
- ▶ Consider again the encoder that performs an orthogonal projection:

$$\text{encode}(\vec{x}) = U^T \vec{x}$$

$$\text{decode}(\vec{z}) = U \vec{z}$$

- ▶ encode/decode are neural networks (with linear activations).



Exercise

True/False: training an autoencoder to minimize reconstruction error will result in the same $\text{encode}(\vec{x})$ function as PCA.

Answer: False

- ▶ PCA minimizes reconstruction error **subject to** the constraint that the columns of U are orthonormal.
- ▶ Without the orthonormality constraint, the autoencoder learns a different encoding.
- ▶ *However*, the autoencoder learns a (non-orthogonal) projection into the same space as PCA.

In other words...


- ▶ PCA is an autoencoder trained with an additional orthonormality constraint.
- ▶ Cannot easily be learned by gradient descent; find eigenvectors instead.

Uses of Autoencoders

- ▶ Like PCA, autoencoders can be used for **dimensionality reduction**.
- ▶ Unlike PCA, autoencoders can learn nonlinear maps.
- ▶ Encoded data can be used as input to predictive model, etc.


Dimensionality Reduction

- ▶ If the dimensionality of the encoder is the same as the dimensionality of \vec{x} , the autoencoder can learn to simply reproduce the input.




Dimensionality Reduction

- ▶ As such, we choose number of hidden nodes $< d$.



- ▶ Called an **undercomplete autoencoder**.

Example




1

¹By Michela Massi - Own work, CC BY-SA 4.0,
<https://commons.wikimedia.org/w/index.php?curid=80176900>

Other Uses

- ▶ However, sometimes it is useful for hidden layer to have **greater** dimensionality.



Denoising Autoencoders

- ▶ One such case is in **denoising autoencoders**.
- ▶ **Idea:** train an autoencoder to remove noise.
- ▶ Add random noise to each $\vec{x}^{(i)}$ to get $\tilde{x}^{(i)}$.
- ▶ Train network so that $H(\tilde{x}^{(i)}) \approx \vec{x}$.

DSC 140B

Representation Learning

Lecture 17 | Part 2

Conclusion of DSC 140B

Recap

- ▶ DSC 140B was about **representation learning**.
- ▶ We saw PCA, Laplacian Eigenmaps, RBF Networks, neural networks and deep learning
- ▶ Learned ML methods, but also theoretical tools for understanding why other ML methods work

More Deep Learning

- ▶ We have only scratched the surface of deep learning.
 - ▶ LSTMs, transformer models, graph neural networks, deep RL, GANs, etc.
- ▶ In this class, we focused on the fundamental principles behind NNs.
- ▶ You might consider taking CSE 151B.

Thanks!