



DSC 190


Machine Learning: Representations

Lecture 16 | Part 1


Convolutions




3-d Filter



3-d Filter




3-d Filter



General Case

- ▶ Input “image” has k channels.
- ▶ Filter must have k channels as well.
 - ▶ e.g., $3 \times 3 \times k$
- ▶ Output is still $2 - d$



DSC 190

Machine Learning: Representations


Lecture 16 | Part 2

Convolutional Neural Networks

Convolutional Neural Networks

- ▶ **CNNs** are the state-of-the-art for many computer vision tasks
- ▶ **Idea:** use convolution in early layers to create new feature representation.
- ▶ **But!** Filters are **learned**.


Input Convolutional Layer



Input Convolutional Layer

- ▶ Input image with one channel (grayscale)
- ▶ k_1 filters of size $\ell \times \ell \times 1$
- ▶ Results in k_1 convolutions, stacked to make response map.
- ▶ ReLU (or other nonlinearity) applied entrywise.

Second Convolutional Layer




Second Convolutional Layer

- ▶ Input is a 3-d **tensor**.
 - ▶ “Stack” of k_1 response maps.
- ▶ k_2 filters, each a 3-d tensor with k_1 channels.
- ▶ Output is a 3-d tensor with k_2 channels.


More Convolutional Layers

- ▶ May add more convolutional layers.
- ▶ Last convolutional layer used as input to a feedforward, fully-connected network.
- ▶ Need to “flatten” the output tensor.

Flattening



Full Network




What is learned?

- ▶ The filters themselves.
- ▶ The weights in the feedforward NN used for prediction.

Max Pooling

- ▶ **Max pooling** is an important part of convolutional layers in practice.
- ▶ Reduces size of response map, number of parameters.



DSC 190

Machine Learning: Representations

Lecture 16 | Part 3

Example: Image Classification

Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.




Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Problem

- ▶ Predict whether image is of a **car** or a **truck**.



Details


- ▶ 3-channel 32×32 color images
- ▶ 10,000 training images; 2,000 test¹
- ▶ Cars, trucks in different orientations, scales
- ▶ Balanced: 50% cars, 50% trucks

¹CIFAR-10

Approach #1: Least Squares Classifier

- ▶ Train directly on raw features (grayscale)
- ▶ Result: 72% train accuracy, 63% test accuracy
- ▶ Need a better feature representation

Approach #2: Convolutional Neural Network



Architecture

- ▶ 3 convolutional layers with 32, 64, 64 filters
- ▶ ReLU, max pooling after first two
- ▶ Dense layer with 64 hidden neurons, ReLU
- ▶ Output layer with sigmoid activation
- ▶ Minimize cross-entropy loss; use *dropout*

The Code

```
model = keras.models.Sequential()

model.add( keras.layers.Conv2D(32, (7, 7), activation='relu', input_shape=(32, 32, 1)))
model.add(keras.layers.MaxPooling2D((2, 2)))

model.add(keras.layers.Conv2D(64, (5, 5), activation='relu'))
model.add(keras.layers.MaxPooling2D((2, 2)))

model.add(keras.layers.Conv2D(64, (3, 3), activation='relu'))

model.add(keras.layers.Flatten())
model.add(keras.layers.Dropout(0.5))
model.add(keras.layers.Dense(64, activation='relu'))
model.add(keras.layers.Dense(1, activation='sigmoid'))
```

The Code

```
model.compile(  
    optimizer=keras.optimizers.RMSprop(),  
    loss=keras.losses.BinaryCrossentropy(),  
    metrics=['accuracy']  
)
```

```
model.fit(  
    X_train,  
    y_train,  
    epochs=30,  
    validation_data=(X_test, y_test)  
)
```

Results

- ▶ 94% train accuracy, 90% test accuracy

Results

car / car



Results

truck / car



Results

truck / truck



Results

truck / truck



Results

truck / truck



Results

truck / truck




Results

truck / truck



Results

car / car



Results

truck / truck



Results

truck / truck



Results

truck / truck



Results

truck / truck



Results

car / car



Results

car / truck



Results

truck / car



Results

car / car



Results

truck / truck



Results

car / car



Results

car / car




Results

car / car



Filters



Next Steps

- ▶ In practice, you might not train your own CNN
- ▶ Instead, take “pre-trained” convolutional layers from a much bigger network
- ▶ Attach untrained fully-connected layer and train
- ▶ This is **transfer learning**