

---

**DSC 40A - Homework 4**  
due Friday, November 1st at 11:59PM

---

Homeworks are due to Gradescope by 11:59PM on the due date.

Homework will be evaluated not only on the correctness of your answers, but on your ability to present your ideas clearly and logically. You should **always explain and justify** your conclusions, using sound reasoning. Your goal should be to convince the reader of your assertions. If a question does not require explanation, it will be explicitly stated.

Homeworks should be written up and turned in by each student individually. You may talk to other students in the class about the problems and discuss solution strategies, but you should not share any written communication and you should not check answers with classmates. You can tell someone how to do a homework problem, but you cannot show them how to do it. We encourage you type your solutions in L<sup>A</sup>T<sub>E</sub>X, using the Overleaf template on the course website.


For each problem you submit, you should **cite your sources** by including a list of names of other students with whom you discussed the problem. Instructors do not need to be cited.


This homework will be graded out of 56 points. The point value of each problem or sub-problem is indicated by the number of avocados shown.

**Note:** Here are some important instructions.

- For all of Problem 5, you'll need to code your answers in Python. More detailed instructions are provided in Problem 5. Note that to submit the homework, you'll have to submit your answers PDF to the Homework 4 assignment on Gradescope, and submit your completed notebook `hw04-code.ipynb` to the Homework 4, Problem 5 autograder on Gradescope.
- Please remember **assign pages to questions** when you upload your submission to Gradescope. This really helps our graders. **You will lose points if you don't!**

### Problem 1. Reflection and Feedback Form

 Make sure to fill out this Reflection and Feedback Form, linked [here](#), for three points on this homework! This form is primarily for your benefit; research shows that reflecting and summarizing knowledge helps you understand and remember it.

 This reflection form also contains **your assigned seat for the course midterm**. You are responsible for checking this and remembering it for exam day.

### Problem 2. Vector Calculus Involving Matrices

Let  $X$  be a fixed matrix of dimension  $m \times n$ , and let  $\vec{w} \in \mathbb{R}^n$ . In this problem, you will show that the gradient of  $\vec{w}^T X^T X \vec{w}$  with respect to  $\vec{w}$  is given by

$$\frac{d}{d\vec{w}}(\vec{w}^T X^T X \vec{w}) = 2X^T X \vec{w}.$$

Let  $\vec{r}_1, \vec{r}_2, \dots, \vec{r}_m$  be the column vectors in  $\mathbb{R}^n$  that come from transposing the rows of  $X$ . For example, if

$$X = \begin{bmatrix} 1 & 4 & 7 \\ 2 & 3 & 1 \end{bmatrix}, \text{ then } \vec{r}_1 = \begin{bmatrix} 1 \\ 4 \\ 7 \end{bmatrix} \text{ and } \vec{r}_2 = \begin{bmatrix} 2 \\ 3 \\ 1 \end{bmatrix}.$$

a) 🎃🎃🎃🎃 Show that, for arbitrary  $X$  and  $\vec{w}$ , we can write

$$\vec{w}^T X^T X \vec{w} = \sum_{i=1}^m (\vec{r}_i^T \vec{w})^2.$$

*Hint:* First, show that we can write  $\vec{w}^T X^T X \vec{w}$  as a dot product of two vectors. Then, try and re-write those vectors in terms of  $\vec{r}_1, \vec{r}_2, \dots, \vec{r}_m$  and  $\vec{w}$ .

Now that we have written

$$\vec{w}^T X^T X \vec{w} = \sum_{i=1}^m (\vec{r}_i^T \vec{w})^2$$

we can apply the chain rule, along with the result of part (a) above, to conclude that

$$\begin{aligned} \frac{d}{d\vec{w}} (\vec{w}^T X^T X \vec{w}) &= \sum_{i=1}^m 2(\vec{r}_i^T \vec{w}) \frac{d}{d\vec{w}} (\vec{r}_i^T \vec{w}) \\ &= \sum_{i=1}^m 2(\vec{r}_i^T \vec{w}) \vec{r}_i \end{aligned}$$

b) 🎃🎃🎃🎃 Next, show that, for arbitrary  $X$  and  $\vec{w}$ , we can write

$$2X^T X \vec{w} = \sum_{i=1}^m 2(\vec{r}_i^T \vec{w}) \vec{r}_i$$

*Hint 1:* Use the column-mixing interpretation of matrix-vector multiplication from Lecture 10.

*Hint 2:* It is likely that you'll need to use one of your intermediate results from part (a).

Since you've shown that  $\frac{d}{d\vec{w}} (\vec{w}^T X^T X \vec{w})$  and  $2X^T X \vec{w}$  are both equal to the same expression,  $\sum_{i=1}^m 2(\vec{r}_i^T \vec{w}) \vec{r}_i$ , you have proven that they are equal to one another, i.e. that

$$\frac{d}{d\vec{w}} (\vec{w}^T X^T X \vec{w}) = 2X^T X \vec{w}$$

as desired.

### Problem 3.

You have a dataset of real features  $x_i \in \mathbb{R}$  and observations  $y_i$ , and you propose the following linear prediction rule:

$$H_1(x_i, \alpha_0, \alpha_1) = \alpha_0 + \alpha_1 x_i.$$

a) 🎃🎃 Your friend Reggie decides to use  $z_i = -\frac{1}{2}x_i$  and the prediction rule

$$H_2(z_i, \beta_0, \beta_1) = \beta_0 + \beta_1 z_i.$$

$H_2$  achieves the same minimal MSE as  $H_1$  for

$\beta_1^* = -\frac{1}{2\alpha_1^*}$

$\beta_1^* = -2\alpha_1^*$

$\beta_1^* = \frac{1}{2\alpha_1^*}$

$\beta_1^* = \frac{2}{\alpha_1^*}$

$H_2$  cannot achieve the same minimum as  $H_1$

Justify your response.

b) 🎃🎃🎃 Your friend Essie proposes to use  $v_i = (x_i)^2$  and the prediction rule

$$H_3(v_i, \gamma_0, \gamma_1) = \gamma_0 + \gamma_1 v_i.$$

- $\gamma_1 = \alpha_1^2$
- $\gamma_1 = \sqrt{\alpha_1}$
- $\gamma_1 = -\sqrt{\alpha_1}$
- The optimal  $\gamma_1$  depends on the dataset  $(x_i, y_i)$
- $H_3$  cannot achieve the same minimum MSE as  $H_1$

Justify your response.

#### Problem 4. Real Estate

You are given a data set containing information on recently sold houses in San Diego, including

- square footage
- number of bedrooms
- number of bathrooms
- year the house was built
- asking price, or how much the house was originally listed for, before negotiations
- sale price, or how much the house actually sold for, after negotiations

The table below shows the first few rows of the data set. Note that since you don't have the full data set, you cannot answer the questions that follow based on calculations; you must answer conceptually.

| House | Square Feet | Bedrooms | Bathrooms | Year | Asking Price | Sale Price |
|-------|-------------|----------|-----------|------|--------------|------------|
| 1     | 1247        | 3        | 3         | 2005 | 500,000      | 494,000    |
| 2     | 1670        | 3        | 2         | 1927 | 1,000,000    | 985,000    |
| 3     | 716         | 1        | 1         | 1993 | 335,000      | 333,850    |
| 4     | 1600        | 4        | 2         | 1962 | 830,000      | 815,000    |
| 5     | 2635        | 4        | 3         | 1993 | 1,250,000    | 1,250,000  |
| ⋮     | ⋮           | ⋮        | ⋮         | ⋮    | ⋮            | ⋮          |

a) 🎃🎃🎃 First, suppose we fit a multiple linear regression model to predict the sale price of a house given all five of the other variables. Which feature would you expect to have the largest magnitude weight? Why? (Note that the weight of a feature is the value of  $w^*$  for that feature.)

Then, suppose we standardize each variable separately, i.e. we convert each variable to standard units. (Recall, to convert a variable to standard units, we replace each value  $x_i$  with  $\frac{x_i - \bar{x}}{\sigma_x}$ .) Suppose we fit another multiple linear regression model to predict the sale price of a house given all five of the other standardized variables. Now, which feature would you expect to have the largest magnitude weight? Why?

b) 🎃🎃🎃 Suppose we fit a multiple linear regression model to predict the sale price of a house given all five of the other variables in their original, unstandardized form. Suppose the weight for the Year feature is  $\alpha$ .

Now, suppose we replace Year with a new feature, Age, which is 0 if the house was built in 2024, 1 if the house was built in 2023, 2 if the house was built in 2022, and so on. If we fit a new multiple linear regression model on all five variables, but using Age instead of Year, what will the weight for the Age feature be, in terms of  $\alpha$ ?

- c) 🍁🍁 Now, suppose we fit a multiple linear regression model to predict the sale price of a house given all five of the other variables, plus a new sixth variable named Rooms, which is the total number of bedrooms and bathrooms in the house. Will our new regression model with an added sixth feature make better predictions than the models we fit in (a) or (b)?
- d) 🍁🍁🍁🍁 Now, suppose we fit two multiple linear regression models to predict the sale price of a house. The first uses the features “Square feet” and “Bedrooms”:

$$H(\gamma_0, \gamma_1, \gamma_2) = \gamma_0 + \gamma_1 x^{(1)} + \gamma_2 x^{(2)}$$

The second model uses the features “Square feet” and “Bedrooms” and a new sixth feature named “Length of street name”, which is the number of letters in the name of the street that the house is on:

$$H'(\lambda_0, \lambda_1, \lambda_2, \lambda_3) = \lambda_0 + \lambda_1 x^{(1)} + \lambda_2 x^{(2)} + \lambda_3 x^{(6)}$$

Prove that  $\text{MSE}(H') \leq \text{MSE}(H)$  always.

### Problem 5. Billy the Waiter



This problem is formatted slightly differently. The entire problem is contained in a supplemental Jupyter Notebook, which you can access [at this link](#). This problem is entirely autograded; once you’ve finished, make sure to submit your `hw04-code.ipynb` notebook to the Homework 4, Problem 5 autograder on Gradescope.

Note that this problem is worth a total of 14 points, split across 6 parts.

### Problem 6. All About That Grade

You are studying the relationship between the number of hours studied and exam scores for a group of students. You collect the following data points:

| Hours studied (x) | Exam score (y) |
|-------------------|----------------|
| 1                 | 50             |
| 2                 | 65             |
| 3                 | 70             |
| 4                 | 85             |
| 5                 | 90             |
| 6                 | 92             |
| 7                 | 95             |
| 8                 | 96             |

- a) 🍁 Suppose, you are using polynomial regression of degree 2 to model the relationship between hours studied (x) and exam scores (y). Write down the polynomial equation. You can consider  $w_0, w_1$ , and  $w_2$  as the coefficients of the model.
- b) 🍁 Define the design matrix.
- c) 🍁🍁 Without calculating  $X^T X$  explain why it is invertible.

- d) 🎃🎃🎃🎃🎃 Calculate the coefficients  $w_0$ ,  $w_1$ , and  $w_2$  using the normal equations.
- e) 🎃🎃 Calculate the mean squared error of your model.
- f) 🎃🎃 Use your polynomial model to predict the exam score for a student who studies for 4.5 hours.